CHROMATOGRAPHIA

An International Journal for Rapid Communication in Chromatography and Associated Techniques

Chromatographia Vol 30, 1990

Contents

Author Index

Subject Index

Key Word Index

Chromatographia Vol 30, Contents

Contents Vol. 30, No. 1/2, July 1990

Marcel Golay Award to Professor Gerhard Schomburg 5

Originals

Construction, Evaluation and Analytical Operation of a Modular Capillary Electrophoresis Instrument 7
J. A. Lux / H.-F. Yin / G. Schomburg

Steam Distillation and Supercritical Fluid Extraction of Some Mexican Spices 16
M. Ondarza / A. Sanchez

An HPLC Method for *in vivo* Quantitation of Oxygen Free Radicals Using Spin and Chemical Traps in Biological Systems 19
P. S. Rao / G. S. Weinstein / N. Rujikarn / J. M. Luber Jr. / D. H. Tyras

Catalytic Hydrogenation of Benzo(a) and Benzo(e) Pyrenes. Analysis of Hydrogenated Products by Charge Transfer Chromatography and HPLC on Amino Bonded Phase 24
M. Diack / R. Gruber / D. Cagniant / G. Djega Mariadassou / D. Brodzky

HPLC Study of the Efficiency of Extraction of Phenolic Compounds 35
B. Fernández de Simón / J. Pérez-Ilzarbe / T. Hernández / C. Gómez-Cordovés / I. Estrella

Applicability of Reversed-Phase Liquid Chromatography for the Speciation of Vanadyl and Nickel Metalloporphyrins in Oil Extracts 38
W. A. J. de Waal / S. Heemstra / J. C. Kraak / R. J. Jonker

Quality Control and Classification of Camomilla Oils with the Oxygen-Sensitive Flame-Ionization Detector 47
K. Lakszner / L. Szepesy / I. Török / É. Csapó-Barthos

Computer-Assisted Prediction of Small Peptide Sequencing in Reversed-Phase Liquid Chromatography 51
K. Jinno / Y. Ban

Effect of Mobile Phase Density Gradients on Efficiency in Packed Column Supercritical Fluid Chromatography 57
T. A. Berger / J. F. Deye

Full Automation of Serotonin Determination by Column-Switching and HPLC 61
G. Grossi / A. Bargossi / G. Sprovieri / V. Bernagozzi / R. Pasquali

Fluorometric Determination of Isoniazid and its Metabolites in Urine by High Performance Liquid Chromatography 69
H. Kubo / T. Kinoshita / K. Matsumoto / T. Nishikawa

An Evaluation of the Structural Requirements for the Separation of Propranolol Enantiomers on Pirkle Phases Following Achiral Derivatisation 73
A. M. Dyas / M. L. Robinson / A. F. Fell

Simultaneous Determination of Cefoxitin, Cefuroxime, Cephalexin and Cephaloridine in Plasma Using HPLC and a Column-Switching Technique 80
Y. J. Lee / H. S. Lee

Total Chromatographic Optimization (TOCO)
I. Simultaneous Optimization of Many Variables in Liquid Chromatography 85
Y. Hayashi / R. Matsuda / A. Nakamura

Structure-Retention Studies on the Inclusion Complex Formation of Some Polycyclic Aromatic Hydrocarbons with β-Cyclodextrin 91
H. Lamparczyk / P. Zarzycki / R. J. Ochocka / D. Sybilska

Computer Simulation of Ecdysone Metabolism and of the HPLC Analysis of the Metabolites 95
H. Kalász / M. Báthori / Z. Tarjányi / F. Darvas

Retention Characteristics of Octadecylsilyl Silica, Trimethylsilyl Silica and Phenyldimethylsilyl Silica in Reversed-Phase Liquid Chromatography 99
A. Kaibara / M. Hirose / T. Nakagawa

High Performance Liquid Chromatography of Chlortetracycline and Related Substances on Poly(styrenedivinylbenzene)copolymer 105
Weng Naidong / E. Roets / J. Hoogmartens

Contents Vol. 30, No. 3/4, August 1990

Originals

Concentration and Determination of Trace Amounts of Chlorinated Pesticides in Aqueous Samples 129
A. Braithwaite / F. J. Smith

Determination of Void/Dead Volume of Liquid Chromatographic Columns Containing β-Cyclodextrin as the Stationary Phase.
Part I. Existing Methods for the Determination of LC Column Dead Volume – A Survey of Literature 135
A. Malik / K. Jinno

Determination of Void/Dead Volume of Liquid Chromatographic Columns Containing β-Cyclodextrin as the Stationary Phase.
Part II. A New Graphical Method 138
A. Malik / K. Jinno

Theoretical Interpretation of the Retention Indices of Alkylbenzenes 144
S. Miertus / V. Jakus / E. Matisová

Rapid Analysis of Trace Organics in Aqueous Solutions by Enrichment in Uncoated Capillary Columns 149
A. Zlatkis / R. P. J. Ranatunga / B. S. Middleditch

Determination of Amitrole in Plant Tissues and Sandy Soils by Capillary Gas Chromatography with Alkali Flame Ionization Detection 155
J. M. van der Poll / M. Vink / J. K. Quirijns

Quantitative Evaluation of Amino Acids Using Microwave Accelerated Hydrolysis 159
A. Pecavar / M. Prosek / D. Fercej-Temeljotov / J. Marsel

The System of Universal Retention Indices and Aspects of its Application in Gas Chromatography 163
M. S. Vigdergauz / N. F. Belyaev

Total Chromatographic Optimization (TOCO)
II. Precision and Efficiency of Analysis 171
Y. Hayashi / R. Matsuda

A Stability-Indicating High-Performance Liquid Chromatographic Assay for the Determination of Some Pharmaceutically Important Nitrocompounds 176
S. M. Hassan / F. A. Ibrahim / M. S. El-Din / M. M. Hefnawy

Fluorine-Induced Chemiluminescence Detection of Biologically Methylated Tellurium, Selenium, and Sulfur Compounds 181
T. G. Chasteen / G. M. Silver / J. W. Birks / R. Fall

Reversed-Phase HPLC Separation of the Enantiomers of Denopamine after Derivatization with GITC Chiral Reagent 186
H. Nishi / N. Fujimura / H. Yamaguchi / W. Jyomori / T. Fukuyama

Quantitative Structure Activity Relationships of 5-Nitrofuran Derivatives 191
B. Mester / N. Hikichi / M. Hansz / M. Paulino de Blumenfeld

Migration Time and Resolution in Micellar Electrokinetic Capillary Chromatography 195
P. Gareil

Gel Permeation Chromatographic Characterization of Sodium Hyaluronate and Its Fractions Prepared by Ultrasonic Degradation 201
P. Chabreček / L. Šoltés / Z. Kállay / I. Novák

Semi-Preparative Purification and Characterization of Peptides from Complex Haemoglobin Hydrolysate by HPLC-Mass Spectrometry 205
J. M. Piot / Q. Zhao / D. Guillochon / P. Dhulster / G. Ricart / D. Thomas

Measurement of the Adduction Constant by Gas-Liquid Chromatography 211
X. Feng / S.-K. Wang / J. Shi

HPLC Analysis of Aspartame and Saccharin in Pharmaceutical and Dietary Formulations 215
A. M. Di Pietra / V. Cavrini / D. Bonazzi / L. Benfenati

Short Communications

An Approach for Measuring Peak Area of an Overlapped Peak Pair 220
N. S. Wu / C. P. Cai / Y. Yang

Direct Chromatographic Resolution of Racemic Aminoglutethimide and its Acetylated Metabolite Using Different Cellulose Based Chiral Stationary Phases 223
H. Y. Aboul-Enein / M. R. Islam

Determination of Iodine Anion in Dried Kelp and Iodized Throat Tablets by Reversed-Phase Ion-Pair Liquid Chromatography with Direct UV Detection 228
H. F. Zou / X. L. Li / Y. K. Zhang / P. C. Lu

Contents Vol. 30, No. 5/6, September 1990

Originals

Trans-Esterification of Fatty Acids from Microorganisms and Human Blood Serum by Trimethylsulfonium Hydroxide (TMSH) for GC Analysis 245
K.-D. Müller / H. Husmann / H. P. Nalik / G. Schomburg

Determination of Glycuronic Acids by High-Performance Anion Chromatography With Pulsed Amperometric Detection 249
D. A. Martens / W. T. Frankenberger, Jr.

Detection of New Radiolysis Products in γ-Irradiated, Methanolic Medazepam by GC-FTR 255
I. A. Werner / H. Altorfer / X. Perlia

Dynamic Ion-exchange Chromatography with Post-Column Reaction Detection for the Determination of the Rare Earth Elements in Monazites 263
R. Kuroda / M. Adachi / K. Oguma / Y. Sato

Determination of Melissyl Alcohol by Capillary Column Gas Chromatography 267
G. Liu / Z. Xin

Analysis of Lemon and Bergamot Essential Oils by HPLC with Microbore Columns 271
M. Benincasa / F. Buiarelli / G. P. Cartoni / F. Coccioli

Determination of Hydrophobicity of Organic Bases on Poly(Butadiene)-Coated Alumina and on Octadecylsilica Columns 277
R. Gami Yilinkou / R. Kaliszan

Dihydrogen Carrier Gases in Gas-Solid Chromatography. Study of Hydrogen Weight and Nuclear Spin Isomer Adsorption 283
V. S. Parbuzin / V. V. Guliants

Modification of Solids with Volatile Organics III: Natural Zeolites 287
M. M. Kopečni / J. J. Comor / M. Todorović

Simultaneous Ion Chromatographic Determination of Selenium and Metal Ions in Waters at Trace Level 293
C. Sarzanini / O. Abollino / E. Mentasti / V. Porta

Intermolecular Interactions in Normal-Phase HPLC Systems with Alcohol Hydrocarbon Eluents 298
T. Kowalska

Retention Mechanisms and Selectivity in Internal-Surface Reversed-Phase Liquid Chromatography. Studies with Cyanobacterial Peptide Toxins 301
J. A. O. Meriluoto / K. Isaksson / H. Soini / S. E. Nygård / J. E. Eriksson

Solid Phase Extraction and Analysis of Horse Urine for Aminocaproic Acid 309
D. Phillips / I. R. Tebbett / S. Kalita

The Use of Chiral Interaction Reagents in the Separation of D(–)- and L(+)-Ascorbic Acid by Ion Interaction Reversed-Phase HPLC 311
M. C. Gennaro / C. Abrigo / E. Marengo

Selectivity of Some Aromatic Compounds and Carotenoids on C_{18} Packings Made With Different Endcapping Procedures 318
Z. Matus / R. Ohmacht

(S,S)-Diphenyl-ethanediamine (DPEDA) Derivatives as Chiral Selectors
Part I. Undecenoyl Bound Dinitrobenzoyl-DPEDA as a Broadly Applicable Chiral Stationary Phase 323
G. Uray / W. Lindner

Reproducibility of Retention Indices Measurement of Alkylbenzenes on Crosslinked Methyl Silicone Phase Fused Silica Capillaries 328
E. Matisová / P. Kuráň

Short Communications

Chromatographic Investigations of Flavonoid Compounds in the Leaves and Flowers of Some Species of the Genus *Althaea* 333
J. Gudej / M. L. Bieganowska

Evaluation of 4-amino-2-hydroxybenzoic Acid as an Eluent for Indirect Photometric Determination of Uncommon Anions 337
M. C. Mehra / C. Pelletier

Contents Vol. 30, No. 7/8, October 1990

Originals

Sub PPB Level Determination of Eperison in Human Plasma by GC/MS 357
A. Cappiello / F. Mangani / P. Palma / E. Sisti / F. Bruner

Electrodialytic Sample Treatment Coupled On-Line with High-Performance Liquid Chromatography 361
A. J. J. Debets / W. Th. Kok / K.-P. Hupe / U. A. Th. Brinkman

A Simple Optimization Strategy Based on Rs-Minimum and Information Theory of Chromatography 367
Y. Hayashi / R. Matsuda

Information Theory of Optimization in Chromatography: Analytical Structure of Optimization 371
R. Matsuda / Y. Hayashi

Group Separation of Non-Sulphated and 3-Sulphated Bile Acids by Disposable Anion-Exchange Cartridges 377
S. Scalia / P. Pazzi

Correlation Between the Surface Free Energy of Modified and Non-Modified Glasses with Controlled Porosity and their Sorption Properties 382
B. Jańczuk / I. Choma / A. L. Dawidowicz / A. Kliszcz / T. Białopiotrowicz

Purification and Dual-Column HPLC Determination of Carboxylic Acids in Tissues, Phloem and Xylem Saps of Soybean Plants 388
B. Touraine / S. Astruc

Dependence of the Methylene Selectivity on the Composition of Hydro-Organic Eluents for Reversed-Phase Liquid Chromatographic Systems with Alkyl Bonded Phases 393
R. K. Gilpin / M. Jaroniec / S. Lin

A Practical Resolution Function 400
C. P. Cai / N. S. Wu

Thin-Layer Chromatographic Separation and Identification of Some Anions on Copper Sulphate Impregnated Silica Gel Layers 405
A. Mohammad / S. Tiwari

Preparation of Anhydrotrypsin-Immobilized Diol Silica as a Selective Adsorbent for High-Performance Affinity Chromatography of Peptides Containing Arginine or Lysine at Their C-Termini 410
T. Ohta / T. Inoue / Y. Fukumoto / S. Takitani

Evaluation of Densitometric Quantitation of Ether Phospholipids by High Performance Thin-Layer Chromatography 414
I. Coene / M. E. Ramos / E. van den Eeckhout / P. Sandra / W. Van den Bossche

Determination of Carbofuran in a Nutrient Solution by GLC/NPD and HPLC 421
C. F. Ling / G. Pérez-Melián / F. Jiménez-Conde / E. Revilla

Analysis of Ochratoxins from Buffered Rumen Fluid by Reversed-Phase High-Performance Liquid Chromatography (HPLC) 424
C. M. Lerch / H.-M. Müller

The Use of Modified Acrylic Copolymers for the Preparation of Immunoadsorbents 428
A. Rapak / A. Szewczuk / B. Kolarz / A. Trochimczuk

Simultaneous Determination of Carboxylic Acids and Carbonyl Compounds in Estuaries by HPLC 432
F. Edelkraut / U. Brockmann

Diantipyrilmethane as Complex-Forming Reagents in the Thin-Layer Chromatographic Determination of Metals 436
A. Timerbaev / O. Shadrin / V. Zhivopistsev

Synthesis of a Propyldimethylphenylsilane Stationary Phase Using the Alkyl Bonded Phase as an Intermediate 442
J. J. Pesek / W. Rashet

Effects of Stationary Phase Structure on Retention and Selectivity in Reversed-Phase Liquid Chromatography of Flavonoid Compounds with Methanol as Organic Modifier 447
Y. D. Kahie / C. Pietrogrande / M. I. Medina Mendez / P. Reschiglian / F. Dondi

Contents Vol. 30, No. 9/10, November 1990

Foreword 469

Professor Erika Cremer – A Pioneer in Gas Chromatography 471
O. Bobleter

Originals

Efficient Introduction of HPLC Fractions into a High Performance Tandem Mass Spectrometer 477
A. Cappiello / P. Palma / I. A. Papayannopoulos / K. Biemann

Rapid Metal-Interaction Chromatography of Proteins and Peptides on Micropellicular Sorbents 484
G. K. Bonn / K. Kalghatgi / W. C. Horne / Cs. Horváth

The Role of Adsorption in Gas-Liquid Systems and Its Use for Enrichment of Trace Amounts 489
J. Janák

Dependence of Solution Data at Ideal Dilution on Solvent Molecular Size 493
K. S. Reddy / E. sz. Kováts

Problems and Achievements in the Instrumentation and Column Technology for Chromatography and Capillary Electrophoresis 500
G. Schomburg

New Method of Background Eluent Conductivity Elimination in Gradient Ion Chromatography 509
P. Jandik / J. B. Li / W. R. Jones / D. T. Gjerde

Effects of Eluent Composition, Ion-Pair Reagent and Temperature on the Separation of Histones by High Performance Liquid Chromatography 518
H. Lindner / W. Helliger

Enhancement of Protein Detection by Microwave-Induced Hydrolysis and OPA Derivatization 523
H. Engelhardt / M. Krämer / H. Waldhoff

Novel Methods of Introducing Anchoring Functions into a Polystyrene Matrix for the Immobilization of Ligands for High-Performance Affinity Chromatography 527
J. M. Varga / S. Wongyai / P. Fritsch / G. Bonn

Purification of Functionally Intact 1,4-Dihydropyridine Receptor from Rabbit Skeletal Muscle by HPLC 533
H. Kalász / Cs. Horváth / P. L. Vaghy

Graphitized Thermal Carbon Black as a Shape-Selective Stationary Phase in GC 537
W. Engewald / J. Pörschmann / T. Welsch

Synthesis and Preparative HPLC-Separation of Heteronuclear Oligometallocenes. Isolation of Cations of Rhodocenylferrocene, 1,1′-Dirhodocenylferrocene, and 1-Cobaltocenyl-,1′-rhodocenylferrocene 543
M. Andre / H. Schottenberger / R. Tessadri / G. Ingram / P. Jaitner / K. E. Schwarzhans

Reviews

Capillary Electrophoresis 546
Ch. Schwer / E. Kenndler

Separation of Drug Enantiomers by HPLC Using Chiral Stationary Phases – A Selective Review 555
G. Gübitz

Graphitized Carbon Black: A Unique Adsorbent for Gas Chromatography and Related Techniques 565
F. Bruner / G. Crescentini / F. Mangani

Chromatography and Mass Spectrometry – An Overview 573
E. R. Schmid

Trends in the Combination of High-Performance Liquid Chromatography and Electroanalytical Methods 577
W. Buchberger

Silica Gel and Carbon Column Packings for Use in High-Performance Liquid Chromatography 582
D. Berek / I. Novák

Extended Abstracts

Selective Determination of Carbohydrates in Fermentation Broths with On-Line Sample Clean-up and Catalytic Reaction Detection 591
G. Marko-Varga / E. Domínguez / B. Hahn-Hägerdal / L. Gorton

Friedrich Goppelsroeder – A Protagonist of Modern Chromatography? 595
H. Newesely

Classification of Active Centres on Solid Catalysts by Gas Chromatography 597
Z. G. Szabó

Contents Vol. 30, No. 11/12, December 1990

Originals

Theoretical Explanation of the Displacement and Tag-Along Effects 613
S. Golshan-Shirazi / G. Guiochon

Solvent-Vented Injection in the Analysis of Agrochemicals by Capillary Supercritical Fluid Chromatography 618
S. Ashraf / K. D. Bartle / A. A. Clifford / I. L. Davies / R. Moulder

HPLC Separation of DL-Amino Acids Derivatized with N^2-(5-Fluoro-2,4-Dinitrophenyl)-L-Amino Acid Amides 621
H. Brückner / C. Keller-Hoehl

The Retention Mechanism in Poly(ethylene glycol) 20M Layer on the Surface of a Silanized Support 630
K. Surowiec / J. Rayss

Effect of Adsorption on the Retention Values in Glass Capillary Columns Coated with Poly(ethylene glycol) 20M 635
G. L. Zhao / G. Y. Wang

Size Exclusion Chromatography in Pore Networks 639
C. McGreavy / J. S. Andrade Junior / K. Rajagopal

Solventless Injection for Preparative Supercritical Fluid Chromatography 645
G. Cretier / R. Majdalani / J. L. Rocca

Determination of Glycuronic Acids by High-Performance Anion Chromatography with Pulsed Amperometric Detection 651
D. A. Martens / W. T. Frankenberger, Jr.
(Corrected version of paper published in Vol. 30, No. 5/6, September 1990, pp. 249–254)

Würzburg Chromatography Colloquium / Würzburger Chromatographie-Kolloquium

Capillary Isotachophoretic Analysis of β-Lactam Antibiotics and Their Precursors 657
D. Tsikas / A. Hofrichter / G. Brunner

Examination of New Stationary Phases for the Reversed-Phase Chromatography of Peptides 663
E. Reh / U. Kapfer

Capillary Electrophoresis. Basic Considerations for Industrial Applications 675
T. Dülffer / R. Herb / H. Herrmann / U. Kobold

The Use of HPLC for the Determination of Lipids in Biological Materials 686
H. P. Nissen / H. W. Kreysel

Sequence Analysis of Phosphotyrosine-Containing Peptides. Determination of PTH-Phosphotyrosine by Capillary Electrophoresis 691
H. E. Meyer / E. Hoffmann-Posorske / H. Korte / A. Donella-Deana / A.-M. Brunati / L. A. Pinna / J. Coull / J. Perich / R. M. Valerio / R. B. Johns

Preparation and Comparison of RP-HPLC of Crosslinked Ribosomal Protein Pairs by Chromatography on PLRP- and Vydac-Columns 696
S. Herwig

High-Performance Capillary Isotachophoresis of Serum Lipoproteins and Membrane Proteins 703
Dj. Josic / A. Böttcher / G. Schmitz

Purification of Ribosomal Proteins from the Extreme Halophilic Archaebacterium *Halobacterium marismortui* by High-Performance Liquid Chromatography 707
U. Bergmann / B. Wittmann-Liebold

Capillary Zone Electrophoresis and Isotachophoresis: A Comparison by Information Theory 713
E. Kenndler

An HPLC System for Use in the Development of New Arginine Protecting Groups 719
W. Voelter / G. Grübler / F. Gutjahr / H. Echner